

German quality

Safe for children

Protection against counterfeiting

Advanced technologies have made it possible to create films in accordance with the strictest European standards Test results and environmental certifications confirm safety for consumers and the environment

Markings on each meter of the film is a guarantee of the authenticity of the material



BAUF





Superwhite

Special marking is along the film to confirm the authenticity of the material









Technical specifications

	Matte	Glossy	Satin	Other manufacturers
Fire hazard class	F5	F5	F5	-
Film density, g/sq.m	225	225	225	200-220
Film transparency	101	-	-	87
Film reflectivity (gloss only)	-	170	-	95
Film thickness (microns)	205	-	170	185-215
Tensile strength, N	21/28	-	-	-





Certificates

RoHS	ROHS	Restriction of Hazardous Substances Directive
REACH	Reach	The directive that regulates the activities of all manufacturers, importers and end users of chemicals in the European Economic Area
EN71.5 SE	EN	The film is tested according to the famous European Union directive (DIN EN 71 Child Safety Standard)
CHRISTIAN IANG IANG APPENDIP	A+	The highest rating in accordance with European legislation regarding the emission of volatile organic compounds and indoor air quality





The Bauf film 🗸

is a technologically new product of record strength, which allows you to implement the most daring and non-standard design solutions from complex multi-tiered structures to incredible geometric shapes.



German trademark. New brand from market leaders.

Firma Bauf is one of the leading suppliers of PVC films for stretched ceilings with ten years of experience in production and development, as well as rich traditions.



