



PEOPLE *search for?*

*innovation, change, inspiration, emotions,
horizons, experiences, enjoyment,
security, harmony.*

Contemporary architectural projects are more and more inspiring worlds on their own. Ideas and designs have to capture the past, tomorrow as well as they have to adapt to the ever changing contemporary taste the most possible flexibility.

Modularity and flexibility of the latest materials and their fresh new properties are in demand as never before. Our PONGS complete solution as a global high tech textile company: Building change by maintaining the value. This is done in line with the highest quality standards and with an excellent cost efficiency.

Walls, Ceilings & Panels



flexible, easy to replace...



...endless printing



ready-made...



...backlit



also sound-absorbing...



...spectacular design



everything by PONGS®.



Walls, Ceilings, Panels

We **HAVE**

*exactly the right material with the right system
and the right digital printing.*

Interior design is extremely fast changing. Now rooms have concepts and the look conveys a certain lifestyle. They have to be as flexible as possible, easy to replace and with just the right design. Textile walls and ceilings make this possible and are also configured freely by the corresponding digital printing. And more, spacious modern rooms remain in balance with the background noise by using sound absorbing acoustic panels.

Project

Hôtel des Centraliens (Paris)
Champs Elysées

Project management

Maison Margiella (Paris)



High tech textile system. Simple, fast, fascinating ...


Design with a lot of impact and completely fresh design possibilities.

Our DESCOR® system has the materials and the right accessories to even realize the most complicated shapes sensationally fast. Plus our PONGS® training center, which can be simple and technically implemented with the latest design looks for the professional.

Project: Design Loft Düsseldorf
Project Management: Living Concept Consulting

DESCOR® Ceilings Led backlights.
DESCOR® Walls and Video projection wall.



A close-up photograph showing a person's hand using a utility knife to cut a white fabric panel. The panel is being installed into a wooden frame structure. The background is a plain white wall. The text 'INSTALLATION' is overlaid on the image in large, bold, white capital letters. Below it, the tagline 'easy; quick, clean.' is written in a smaller, italicized font. A semi-transparent white box contains a paragraph of text describing the installation process.

INSTALLATION

easy; quick, clean.

Ready installed ceilings and walls without dirt in just one day? – That is not possible! But with PONGS® it is! Textile high tech walls and ceilings are easily fixed in a frame system that is very simple bolted to a wooden frame. The accompanying technology is taught by a skilled craftsman at our training center in just one day. By that one can trained professional creates an entirely new business area with booming growth potential.

No **SURFACE**

is as smooth and clean as a **DESCOR®** *wall or ceiling.*

You do not have to think of how you might get your ceilings absolutely even over huge areas!

For PONGS® high tech materials absolutely straight, smooth and durably beautiful - this is our standard!

While others are still trying to paint their ceilings in a proper white - a DESCOR® ceiling is already installed and even refined individually with a spectacular digital printing.

Project: PONGS® Headquarter Stadtlohn, Germany.
Interior redesign of our offices and representation areas.



Project Management: Living Concept Consulting


DESCOR® Ceilings Led backlights.

DESCOR® Ceilings with multiple Installations: light elements, aeration elements and smoke detectors. DESCOR® walls.

Extremely flexible & **TEMPERATURE**
independent installation.

If top design works much better than the standard, then it has something to do with a superior system. Our DESCOR® system is simply thought through in every detail. For all structural contingencies, there are prefabricated elements and for all who still believe a textile cover can only be installed in a heated room, we have surprising news for you! DESCOR® and all other PONGS® materials are easily processed at room temperature - even in the ice cold.





Ceilings get **STYLISH**

DESCOR® textile ceilings can now be determined for a space experience, so rare and so exciting that the perfect embedded video projection screen just invites an experience that is exciting as the ceiling on top.



ACOUSTIC *It is silent.*

Large, clear, stylish rooms with the corresponding glass fronts can now just be as they are – be acoustically in harmony with all who live and work there.


These materials are of high quality and of course, some of the most exciting new acoustic fabrics are made by PONGS®



PONGS[®]
design

PONGS Akutex[®]

A material with a fantastic design and acoustic properties. It is extremely sound-absorbing up to a α_w -value of 0,90. It is very easy to handle as a 30 m roll weighs just 25 kg and it is permanently flame retardant. Additionally, it just feels very nice and has a huge creative potential when digitally printed or it's painted in trendy color versions like art canvas surfaces. Plus the material itself has a special weaving technique, no matter how you look at it, you face always the same homogeneous surface.



PONGS Silencio®

Function, design, aesthetics.

PONGS Silencio® is the first acoustic fabric with a three-dimensional surface of permanently flame retardant fibers of the highest quality (Trevira CS).

Silencio®'s design possibilities are really exciting. The material looks spectacular in every color, is even digitally printable and mediates through its three-dimensionality a special motif depth.



*High compatibility with all common printing systems
max. print width of 500 cm, coating options
such as washing, waterproofing, paints, coatings in 540 cm width*



FORMAT

printing sizes - there is nothing we can not print.

Think XXXL. An artistic expression, perfection and a simply spectacular implementation of an overall concept of a leading architect in the town hall of Montpellier, France. Here it has been counted on PONGS® materials.



lighting, dimming, coloring.

A homogeneous ceiling or wall in itself already is a beautiful object. If you just „turn it on“ and see how they become a wide space and a dimmable light source, nothing is as it was before. The standard „wow moment“ can left behind, because the room just looks spectacular!

LED lights behind PONGS high tech textiles create such a modern new sense of space that you really have to see it. Change dimming and the color by using a slide rule on your tablet or smartphone.

By that visions of the future suddenly have a permanent place in the realization of conversions or in your latest projects. And this as easy to install as pulling a few stripes for a regular lamp.



BACKLIGHTING


with Softimage lightbox, Artist heavy & Artist Mambo

Specially designed for backlighting, PONGS® textiles feature excellent digital printing quality. Best-sellers include Artist heavy or Softimage lightbox and Artist Mambo, both of which are crease-resistant and free of stress whitening. Add design highlights to your ambience. We guarantee that our products are free of hazardous substances and are therefore REACH-compliant. Made in Germany.



A microscopic view of several purple, spherical bacteria with numerous fine, dark spines protruding from their surfaces. In the bottom left corner, a larger, more complex yellow-green structure with several long, thin, club-like appendages is visible. The background is a light, hazy white.

High-end textile for stretch wall and ceiling coverings with integrated Sanitized® hygiene technology: bonded silver ions safely combat multi-resistant bacteria, including MRSA, for the long term, ensuring an extended service life and improved functionality for the material. DESCOR® PREMIUM antibac offers protection, comfort and optimum hygiene for public buildings such as schools, hospitals and hotels.



DESCOR[®] ANTIBAC

Bacteria reduced by 99.99% thanks to Sanitized[®] silver ions





Print & wall **ART** *editions*

Architects and real cool designers have rediscovered printed walls and ceilings.

The latest trend in digital printing is called „printerieur“ and it has become indispensable from contemporary interior design, because nothing else is so quick and easy in building spectacular rooms.

The easy interchangeability and flexibility of our PONGS® high tech materials combined with back lighting and large print sizes - blossom the ideas how walls and ceilings have to look like. As never been seen before and as individual as never before.

With designs that are especially developed for large-scale digital prints by artists and designers for our PONGS® Print Art Editions. Additional our PONGS® Wall Art Editions. These have been nominated materials at Heimtextil 2015 and stand for wall art creation in the highest level. Everything else is just wallpaper.



PONGS® - *We certificate all of our products.*

You find PONGS® high tech textiles within the largest construction projects up to the largest cruise liners.

A trust that is placed in us, we are worthy of - because of all the fantastic product properties some are particularly important:

Our products comply with all relevant building certificates worldwide.

This means that PONGS® customers are always safe when it comes to any major specifications.



Our claim **CERTIFICATES**
for all our products.

Project

Restaurant Nabulione (Paris)

Stories can be written about outstanding German companies and even some of them make actual history. PONGS® is one such company. Owner-managed in the second generation PONGS® is the textile high tech company ever. A world leader of a proud weaving and knitting machines capacity of 1.9 million sqm per month, realizing the most impressive new material properties from the yarn to the finished fabric.

PONGS® is a complete textile concept and market leader in the development and sale of digital print media worldwide.

Our diverse product variants make the groundbreaking creations in visual merchandising, store design, as well as in exhibitions, stages and theaters. On top of that, we are the largest supplier in the textile interior design. We present, with DESCOR®, Suntex®, Akutex® and Silencio® a complete system that connects the textile indoor and outdoor installation with sound absorption, fire protection and sun protection. And this from the largest cruise ship to the spectacular large-scale projects of the most famous architects. Two large areas with one vision - demonstrate solutions and inspire our customers! With PONGS® cross selling all areas combined together and complement each other with a competence, product depth and innovation, you cannot find in any other company.

From filament to finished fabric.

PONGS® Printerieur goes even further into the design detail. Using high resolution digital fabric printing, customized wholesale faces up to 5,05 m arise. This is the new trend future segment in interior design. We also present our Innovation Award nominated PONGS® wall art editions. Everything else is wallpaper.

PONGS® textil is the largest supplier of decorative materials and with the new PONGS® design brand one of the most innovative suppliers of textile lifestyle design objects, created entirely and exclusive of our finest and trendiest fabrics. This completes the textile concept PONGS® in very detail.

Be inspired and advised in everything we do, you are our main focus. Your vision is our driving force. With a great team and a diversified product portfolio, we are sure to be the best possible partner for you.



DESCOR® PREMIUM

WEISS/ WHITE
599130 - 00900 450

NATURWEISS/ NATURAL WHITE
599130 - 00900 469

BEIGE
599130 - 00900 451

GELB/ YELLOW
599130 - 00900 457

SCHWARZ/ BLACK
699148 - 00347 264



REF.

DESCOR® PREMIUM

Colour number
599130 - 00900 - ###



polyester knitted fabric with polyurethane coating (PU)



M1 **B1** **DIN EN 13501-1 B-s1, d0**



245 g/m² ± 5%



ca. 350 µm



15 x superior to PVC films

Specs



Gross in cm (inch)	320 (126)	360* (142)	420 (165)	460* (181)	520 (205)
Net in cm (inch)	310 (122)	350* (138)	410 (161)	450* (177)	505 (199)

* on request

DESCOR® PREMIUM

Colour number
699148 - 00347 264

polyester knitted fabric with polyurethane coating (PU)

B1 **DIN EN 13501-1 B-s1, d0**

180 g/m² ± 5%


ca. 350 µm ± 10



15 x superior to PVC films

Gross in cm (inch)	320 (126)	420 (165)	520 (205)
Net in cm (inch)	310 (122)	410 (161)	505 (199)

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.



Acoustic absorption value α_w	0,90
acoustic absorption class	A

Type of assembly E-50 according to DIN EN ISO 354 - lying on the ground
DESCOR[®] PREMIUM acoustic in front of 40 mm airspace
absorbed with 40 mm ISOVER SSP2

WEISS/ WHITE
00900 - 085

SCHWARZ/ BLACK
00347 - 086



REF.

DESCOR® PREMIUM acoustic

Colour number
699144 - ##### - ###



polyester knitted fabric with polyurethane coating (PU)
with micro-perforation (invisible)
air permeable



B1 **DIN EN**
13501-1
B-s1, d0



185 g/m² ± 5%



ca. 380 µm ± 10



50m/55yrd



15 x superior to PVC films

Specs



α_w

DIN EN ISO 354 - test report no 086-12-G01 (Akustikbüro Krämer + Stegmeier)



Gross in cm (inch)	320 (126)	420 (165)	520 (205)
Net in cm (inch)	310 (122)	410 (161)	505 (199)

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.




DESCOR® PREMIUM star

GRAU/ GRAY
00900 - 167

DUNKELBEIGE/ DARK BEIGE
00900 - 157

GRÜN/ GREEN
00900 - 165

SCHWARZ/ BLACK
00347 - 164



REF.

DESCOR® PREMIUM star

Colour number

699143 - ##### - ###



polyester knitted fabric with polyurethane coating (PU)



B1 * DIN EN
13501-1
B-s1, d0



250 g/m² ± 5%

185 g/m² ± 5% (black)



ca. 350 µm – 390 µm



15 × superior to PVC films

Further
Details

with aluminium pigment



Gross in cm (inch)	320 (126)	420 (165)	520 (205)
Net in cm (inch)	310 (122)	410 (161)	505 (199)


* testing is instructed

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.


DESCOR®
WALL & CEILING SYSTEM

 **DESCOR**[®]
WALL & CEILING SYSTEM

DESCOR[®] LIGHT



REF.

DESCOR® LIGHT
Colour number
599129 - 00900 - 369



polyester knitted fabric with polyurethane coating (PU)



M1 **DIN EN 13501-1 B-s1, d0** **B1**



230 g/m² ± 5%



ca. 430 µm




15 × superior to PVC films



Gross in cm (inch)	320 (126)	420 (165)	520 (205)
Net in cm (inch)	310 (122)	410 (161)	505 (199)

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.


DESCOR®
WALL & CEILING SYSTEM



REF.

DESCOR® PREMIUM colour

Colour number
699142 - 00900 - ###



polyester knitted fabric with polyurethane coating (PU)



M1 **B1** **DIN EN 13501-1 B-s1, d0**



ca. 230 g/m² – 260 g/m² ± 5%



ca. 360 μm – 410 μm ± 10



15 x superior to PVC films


Specs



Gross in cm (inch)	315 (124)	510 (201)
Net in cm (inch)	310 (122)	505 (199)

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.


DESCOR®
WALL & CEILING SYSTEM



REF.

DESCOR® PREMIUM colour

Colour number
699142 - 00900 - ###



polyester knitted fabric with polyurethane coating (PU)



M1 **B1** **DIN EN 13501-1 B-s1, d0**



ca. 230 g/m² – 260 g/m² ± 5%



ca. 360 µm – 410 µm ± 10





15 x superior to PVC films

Specs



Gross in cm (inch)	315 (124)	510 (201)
Net in cm (inch)	310 (122)	505 (199)

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.



REF.

DESCOR® PREMIUM colour

Colour number
699142 - 00900 - ###



polyester knitted fabric with polyurethane coating (PU)



M1 **B1** **DIN EN 13501-1 B-s1, d0**



ca. 230 g/m² – 260 g/m² ± 5%



ca. 360 µm – 410 µm ± 10



15 x superior to PVC films


Specs



Gross in cm (inch)	315 (124)	510 (201)
Net in cm (inch)	310 (122)	505 (199)

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.

 **DESCOR®**
WALL & CEILING SYSTEM



REF.

DESCOR® PREMIUM gradient

Colour number
699149 - 00900 - ###



polyester knitted fabric with polyurethane coating (PU)



B1 * **DIN EN**
13501-1
B-s1, d0 *



250 g/m² – 310 g/m² ± 5%



ca. 350 μm – 410 μm ± 10



50m/55yrd



15 × superior to PVC films

Further
Details

with aluminium pigment




Gross in cm (inch)	310 (122)	410 (161)	505 (199)
Net in cm (inch)	305 (120)	405 (159)	500 (197)

* testing is instructed

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.


DESCOR®
WALL & CEILING SYSTEM



REF.

DESCOR® PREMIUM gradient

Colour number
699149 - 00900 - ###



polyester knitted fabric with polyurethane coating (PU)



B1 * **DIN EN**
13501-1
B-s1, d0 *



250 g/m² – 310 g/m² ± 5%



ca. 350 μm – 410 μm ± 10



15 × superior to PVC films



with aluminium pigment




Gross in cm (inch)	310 (122)	410 (161)	505 (199)
Net in cm (inch)	305 (120)	405 (159)	500 (197)

* testing is instructed

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.


DESCOR®
WALL & CEILING SYSTEM



REF.

DESCOR® PREMIUM gradient

Colour number
699149 - 00900 - ###



polyester knitted fabric with polyurethane coating (PU)



B1 * **DIN EN**
13501-1
B-s1, d0 *



250 g/m² – 310 g/m² ± 5%



ca. 350 μm – 410 μm ± 10



15 × superior to PVC films



with aluminium pigment



Gross in cm (inch)	310 (122)	410 (161)	505 (199)
Net in cm (inch)	305 (120)	405 (159)	500 (197)


* testing is instructed

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.


DESCOR®
WALL & CEILING SYSTEM

**DESCOR**[®]
WALL & CEILING SYSTEM


DESCOR[®] PREMIUM design



DESCOR PREMIUM design
599130 - 00900 - 450



DESCOR PREMIUM star design
699143 - 00900 - 157



DESCOR PREMIUM acoustic design
699144 - 00900 - 085

REF.

DESCOR® PREMIUM design

Colour number
599130 - 00900 - 450



polyester knitted fabric
with polyurethane coating (PU)



245 g/m² – 315 g/m² ± 5%



ca. 350 μm – 410 μm ± 10



15 x superior to PVC films

Specs



Further
Details

DESCOR® PREMIUM star design

Colour number
699143 - 00900 - 157

polyester knitted fabric
with polyurethane coating (PU)

250 g/m² – 310 g/m² ± 5%

ca. 350 μm – 410 μm

15 x superior to PVC films



DESCOR® PREMIUM acoustic design

Colour number
699144 - 00900 - 085

polyester knitted fabric
with polyurethane coating (PU) and
micro-perforation (invisible); air permeable

185 g/m² – 245 g/m² ± 5%

ca. 380 μm – 440 μm ± 10

15 x superior to PVC films




All fabrics can be digital printed with individual images and sizes up to 5 m (small side).


DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.

PONGS®


SILENCIO® Size 5




104
Artic Ice




303
Crystal




945
Metal




305
Silver Grey




589
Turkish Coffee




347
Nero




501
Desert Sand




525
Leaves




947
Walnut




733
Canary




162
Deep Water




333
Mosquito




507
Pearl




547
Cinnamon




523
Almond



739
Apricot



235
Viola



466
Red Pepper

REF.

SILENCIO® Size 5
Colour number
687350 - 00900 - ###



100 % Trevira CS



DIN EN
13501-1
B-s1, d0



ca. 320 / 520 cm



350 g/m² ± 5%



ca. 2 mm




25m / 27yrd

Specs



Further Details



339
Deep Black

PONGS®


SILENCIO® Size 10




104
Artic Ice




303
Crystal



945
Metal



305
Silver Grey




589
Turkish Coffee




347
Nero




501
Desert Sand



525
Leaves




947
Walnut



733
Canary




162
Deep Water




333
Moskito




507
Pearl




547
Cinnamon




523
Almond



739
Apricot



235
Viola



466
Red Pepper

REF.

SILENCIO® Size 10
Colour number
687351 - 00900 - ###



100 % Trevira CS



DIN EN
13501-1
B-s1, d0



ca. 320 / 520 cm



350 g/m² ± 5%



ca. 4 mm




25m / 27yrd



Specs



Further
Details



339
Deep Black



003
White

Acoustic absorption value α_w	0,85
acoustic absorption class	B

Type of assembly E-50 according to DIN EN ISO 354 - lying on the ground
 SILENCIO® Size 5 in front of a cavity of 50 mm
 with 2 x 20 mm ISOVER SSP2 insulation

REF.

SILENCIO® Size 5
White
687300 - 00900 - 003



100 % Trevira CS



DIN EN
13501-1
B-s1, d0



315 / 505 cm



300 g/m² ± 5%



ca. 2 mm



25m / 27yrd



Specs



Further
Details



**PONGS®**



003
White

Acoustic absorption value α_w	0,85
acoustic absorption class	B

Type of assembly E-50 according to DIN EN ISO 354 - lying on the ground
 SILENCIO® Size 10 in front of a cavity of 50 mm
 with 2 x 20 mm ISOVER SSP2 insulation

REF.

SILENCIO® Size 10
White
687301 - 00900 - 003



100 % Trevira CS



DIN EN
13501-1
B-s1, d0



315 / 505 cm



300 g/m² ± 5%



ca. 4 mm



25m / 27yrd

Specs




Further
Details




**PONGS®**


PONGS® AKUTEX®




347



331




329




309



303




545




727




638




466




162




235




541




731



628



440



642

REF.

AKUTEX®
Colour number
506251 - ###



100 % Polyester



B1 **DIN EN 13501-1** **M1**
B-s1, d0



270 g/m² ± 5%



ca. 620 μm ± 10



30m/33yrd 60m/66yrd



ca. 308 cm



100 Pa: 192 l/(m²s)
200 Pa: 342 l/(m²s)



warp: 107,5 N
weft: 115,2 N




5-6

Specs



Further Details



Acoustic absorption value α_w	0,90
acoustic absorption class	A

Type of assembly E-50 according to DIN EN ISO 354 - lying on the ground
AKUTEX® in front of 50 mm airspace absorbed with 40 mm ISOVER SSP2




 **PONGS**[®]

Akustikvlies



White



Type of assembly 20 mm Akustikvlies, no foil, in wooden frame

REF.

Akustikvlies
White



100 % Polyester



DIN EN
13501-1
B-s1, d0

B1



400 g/m² ± 5%



ca. 20 mm



20m/ 22yrd



ca. 270 cm


Specs



Further
Details



 PONGS®



Artist heavy
564250 - 00900 - 042



Artist Backlite
564252 - 00900 - 083



Artist Mambo
564160 - 00900 - 137

REF.

Artist heavy
Colour number
564250 - 00900 - 042

Artist Backlite
Colour number
564252 - 00900 - 083

Artist Mambo
Colour number
564160 - 00900 - 137



100 % Polyester

100 % Polyester

100 % Polyester



DIN EN
13501-1
B-s1, d0

DIN EN
13501-1
B-s1, d0

DIN EN
13501-1 in testing
B-s1, d0



280 g/m² ± 5%

250 g/m² ± 5%

170 g/m² ± 5%



103, 137, 155, 205,
252, 310, 505 cm

103, 137, 155, 252, 310, 505 cm

103, 155, 310, 505 cm





26,9 % (DIN EN 410)

31,9 % (DIN EN 410)

26,9 % (DIN EN 410)

Specs



Further
Details

All fabrics can be digital printed with individual images.

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.






Backlit fabrics



Softimage lightbox
599180 - 00900 - 173



Backlite Premium
599280 - 00900 - 140



Stretch Twill Soft
584097 - 00900 - 123

REF.

Softimage lightbox
Colour number
599180 - 00900 - 173

Backlite Premium
Colour number
599280 - 00900 - 140

Stretch Twill Soft
Colour number
584097 - 00900 - 123



100 % Polyester

100 % Polyester

100 % Polyester



DIN EN
13501-1
B-s1, d0

DIN EN
13501-1
B-s1, d0

DIN EN
13501-1
B-s1, d0

M1



205 g/m² ± 5%

280 g/m² ± 5%

115 g/m² ± 5%



103, 155, 252, 310, 505 cm

103, 155, 252, 310, 505 cm

103, 155, 310 cm



35,7 % (DIN EN 410)

14,5 % (DIN EN 410)

26,9 % (DIN EN 410)

Specs

SOLVENT INK UV-CURABLE INK LATEX INK CREASE-RESISTANT

ICC

CUTTING CUTTING

TEXTILES VERTRAUEN
Geprüft auf Schadstoffe
nach Oeko-Tex® Standard 100
Hohenstein

UV-CURABLE INK WATER BASED INK LATEX INK ICC

CUTTING CUTTING

TEXTILES VERTRAUEN
Geprüft auf Schadstoffe
nach Oeko-Tex® Standard 100
Hohenstein

WATER BASED INK UV-CURABLE INK ICC

CUTTING CUTTING

TEXTILES VERTRAUEN
Geprüft auf Schadstoffe
nach Oeko-Tex® Standard 100
Hohenstein

Further
Details

All fabrics can be digital printed with individual images.

DESCOR® PREMIUM solely applies to building professionals.
The system is exclusively used by specialists trained in this technique.
A list of recommended approved fitters is available on request.

