




Stretch Ceilings  
**PREMIUM  
DESIGN**




**K2LINE  
Magnet  
Siinivalgustid**

## Magnetic flood light




- Type: Linear Spotlight
- Application: Magnetic Track
- Mount Voltage: 48V
- Luminous Efficiency: 90 lm/W
- Color Temperature: CCT: 2700K – 6500K
- Color Rendering Index: CRI  $\geq$  90, R9  $\geq$  60
- Available Colors: White, Black
- Power: 12W (Spotlight Length 300 mm) DIMM  
18W (Spotlight Length 600 mm) DIMM  
36W (Spotlight Length 900 mm) DIMM

## Magnetic grille light




- Type: Grille light
- Application: Magnetic Track
- Mount Voltage: 48V
- Luminous Efficiency: 90 lm/W
- Color Temperature: CCT: 2700K – 6500K
- Color Rendering Index: CRI  $\geq$  90, R9  $\geq$  60
- Available Colors: White, Black
- Power: 12W (reflector length 220 mm) DIMM  
18W (reflector length 330 mm) DIMM

Magnetic grille light



- Type: Grille light
- Application: Magnetic Track
- Mount Voltage: 48V
- Luminous Efficiency: 90 lm/W
- Color Temperature: CCT: 2700K – 6500K
- Color Rendering Index: CRI  $\geq$  90, R9  $\geq$  60
- Available Colors: White, Black
- Power: 12W (reflector length 220 mm) DIMM

## Magnetic grille light



- Type: Grille light
- Application: Magnetic Track
- Mount Voltage: 48V
- Luminous Efficiency: 90 lm/W
- Color Temperature: CCT: 2700K – 6500K
- Color Rendering Index: CRI  $\geq$  90, R9  $\geq$  60
- Available Colors: White, Black
- Power: 12W (reflector length 220 mm) DIMM

## Magnetic Track light



2K-L20/G0-12

12W


42€



2K-L20/G0-20

20W

52€



- Type: Track light
- Application: Magnetic Track
- Mount Voltage: 48V
- Luminous Efficiency: 90 lm/W
- Color Temperature: CCT: 2700K – 6500K
- Color Rendering Index: CRI  $\geq$  90, R9  $\geq$  60
- Available Colors: White, Black
- Power: 12W DIMM  
20W DIMM